



# TamaWrap<sup>®</sup>

WE'VE GOT YOU  
**COVERED**










# CONTENTS

- 
- 4 Tama Rewards
  - 6 TamaWrap®+ Yellow Premium
  - 8 The Premium wrap for premium harvesters
  - 10 TamaWrap®+ Premium specifications
  - 12 TamaWrap®+ Pink Premium
  - 14 TamaWrap® Blue
  - 16 TamaWrap® Blue Specifications
  - 18 Research and Development
  - 20 General Recommendations
  - 22 Traceability
  - 23 Storage and handling
  - 24 Tama Assist
  - 25 Tama Cotton Support App
  - 26 TamaWrap® recycling document
  - 27 Tama Limited warranty



# OUR TAMA REWARDS PROGRAM REIMAGINED



**GET MORE**  
FROM THIS COTTON SEASON



**AT THE END OF THE HARD WORK, IS THE REWARD  
SCAN THE QR CODE TODAY  
AND CHOOSE YOURS!**



## **Welcome to our reimagined program:**

**Discover an upgraded experience with us! Our program has undergone a remarkable transformation, ensuring you enjoy the finest rewards and non-stop value! It's simple. It's better. It's even fun. Experience the difference today!**




**Scan to join**



# TamaWrap+<sup>®</sup> Yellow Premium

- The ORIGINAL cotton wrap
- 14 years of proven success
- Trouble free harvesting
- Unrivalled Consistency and Performance
- Up to 6 months durability in the field
- Zero Cotton Waste
- The John Deere recommended wrap for CP/CS770, CP/CS690, 7760 Cotton Harvesters
- Zero Cotton Waste



**THE ONLY WRAP  
RECOMMENDED BY  
JOHN DEERE**

**BEST  
SELLER**





# The Premium wrap for premium CP/CS 770 Harvesters

## MAXIMUM PERFORMANCE

**TamaWrap®+ is the recommended wrap to allow you to utilise the full capabilities of the new John Deere CP/CS770 Cotton Harvester. Main benefits are:**

- 8% savings in wrap and handling costs for Picker customers
- 12% savings in wrap and handling costs for Stripper customers
- Less plastic (PE) per bale of cotton



THE ONLY WRAP  
RECOMMENDED BY  
**JOHN DEERE**





# TamaWrap<sup>+</sup> Premium specifications

## WRAP

### Radio Frequency Identification (RFID):


Every TamaWrap includes 4 RFID tags

### Tama Cut Indicator:

Helps in locating the recommended cutting zone in order to minimize the risk of cotton contamination.

### Wrap identification:

Each TamaWrap<sup>+</sup> Premium has a unique serial number, located on the white separation label



### The TamaWrap<sup>+</sup> Premium Z-LOCK<sup>®</sup> wrap portion concept:

TamaWrap<sup>+</sup> Premium is made of pre-cut wrap portions in order to eliminate the potential of plastic fragments.

The Z-lock<sup>®</sup> system connects and separates each individual portion on a roll, so the roll is made from 24 "ready to use" portions.

The Z-lock<sup>®</sup> system assures the next portion is ready to feed correctly.



## ROLL

### 24 Portions of Wrap per roll

#### Plastic core:

Every core is marked on its left hand side, to assist correct installation:

- Black dots or blue stripe on the core.
- A label inside the core.

#### Identification:

Each roll has its own ID number located inside the core, and on the leading edge of the 1st TamaWrap®+ Premium.



**Roll Weight:**  
Approx. 100 kg

**Roll Width:**  
2.8 meters

**Roll Diameter:**  
25 cm

## PALLET

### 9 rolls per pallet 216 Portions of Wrap per pallet

**Weight**  
950 kg



**height**  
85 cm

**length**  
2.85 meters

**width**  
72 cm



# TamaWrap+® Pink Premium

**TamaWrap® Pink is one of the projects we're most proud of.**

It has all the features and benefits of TamaWrap®+ Yellow cotton wrap, but with an important added value.

McGrath Foundation raises money to fund McGrath breast care nurses, who provide invaluable support and care to women and men experiencing breast cancer. From diagnosis to treatment, McGrath breast care nurses are available to help individuals and their families for free and with no referral.

McGrath breast care nurses bring you and your family peace of mind through expert knowledge, personal care, and genuine compassion. They can help you create time in your life not defined by breast cancer.

The McGrath Foundation funds 204 McGrath breast care nurses in communities right across Australia, and most crucially in regional and rural areas where treatment and support may be hard to find.







Breast cancer is the most common cancer in Australia.

57 people will be diagnosed with breast cancer every day in Australia.

90% of patients live within 75km from a nurse.

It costs \$140,000 to fund a full time McGrath breast care nurse for a year, including training and development.

McGrath Foundation's mission is to have 250 nurses by 2025.

1 in 7 women will be diagnosed with breast cancer in Australia.

<https://www.mcgrathfoundation.com.au/>

**OVER \$489,523 RAISED FOR MCGRATH  
FOUNDATION AND RULE PROSTATE CANCER BY  
AUSTRALIAN FARMERS AND CONTRACTORS.**

Since 2014 Tama has been donating \$5 from the sale of each roll of Pink TRIOWRAP PLUS™ silage film and \$0.40 per portion of TamaWrap®+ Pink.

**THANK YOU FOR SUPPORTING THIS INITIATIVE.**





# TamaWrap® Blue



**At Tama, we understand the pivotal role premium wrap plays in safeguarding cotton yields, while ensuring cost-effectiveness. With TamaWrap Blue, we've redefined excellence by merging affordability with top-tier quality.**

- Proven performance – backed by Tama's legacy of excellence in quality and customer satisfaction, TamaWrap Blue showcases our dedication to innovation and customer-centric solutions.
- Sustainability at its core – literally. Tama is committed to sustainable solutions including our Core Collection program, minimising our environmental impact.
- Cost-efficiency redefined – our manufacturing process enables us to offer TamaWrap Blue at an unparalleled price without compromise on quality.
- Uncompromising quality – TamaWrap Blue provides premium protection, durability and resilience.





APPROVED BY  
JOHN DEERE




Radio Frequency Identification (RFID)

Cutting zone indicator

Over the edge coverage

Individual roll identification

Recyclable



Running TamaWrap® Blue on CP/CS 770 harvesters requires a minor machine adjustment.  
Please contact your John Deere Dealer for instructions and information.



# TamaWrap® Blue Specifications


## WRAP

### Radio Frequency IDentification (RFID):

Every TamaWrap® includes 4 RFID tags to provide the capability to track the individual module through harvesting and processing, all integrated with the electronic systems of the John Deere round module cotton harvesters.

### Wrap identification

Each TamaWrap® has a unique serial number, located on the metallic label of the wrap.



### Cutting indicator


Each TamaWrap® has a Tama Cut Indicator™ to locate the recommended cutting zone (1 metre) from the Tama Cut Indicator, in the direction of the arrows.

### The TamaWrap® Z-LOCK® wrap portion concept:

TamaWrap® is made of pre-cut wrap portions in order to eliminate the potential of plastic fragments.

The Z-lock® system connects and separates each individual portion on a roll, so the roll is made from 24 "ready to use" portions.

The Z-lock® system assures the next portion is ready to be fed correctly.





## ROLL

WEIGHT: Approx. 100 kg

**24 Wraps per roll**

### Plastic core:

Every core is marked on its left hand side, to assist correct installation:

- Black dots or blue stripes on the core.
- A label inside the core.

### Identification:

Each roll has its own ID number located inside the core, and on the leading edge of the 1st TamaWrap®.



## PALLET

WEIGHT: 950 KG

**9 rolls per pallet**

**216 wraps per pallet**





# Research & Development


## Continuous development providing season after season of trouble-free baling

TamaWrap® Z-LOCK™ was developed to compliment the John Deere 7760 cotton picker allowing cotton to be baled in a continuous process without stopping the picker.

It took 10 years of product development in conjunction with John Deere USA to produce TamaWrap® Round Module Wrap.

Today we work closely with John Deere to develop new technologies for cotton containment.

Every year Tama run extensive trials in Australia, USA and Brazil to ensure continuous development of TamaWrap® into the future.







The names TamaWrap, Z-LOCK, Cut Indicator, TamaWrap, Tama Plus Logo, Tama Logo and the color Yellow are trademarks of Tama Group.



# General Recommendations

## Handling recommendations

- **General recommendation:** Handle with care and do not allow the module to drag on the ground or on stalks during staging.
- **Spear loaders:** Do not allow module to drag on the ground when inserting or withdrawing spears.
- **Rear and front loaders:** Make sure arms are completely on the ground before opening and closing to avoid "over squeezing".



Elephant



Spear Loader



Rear and Front Loaders



## Transportation recommendations

- **Module trucks:**
  - As modules wrapped with TamaWrap® Blue may squat more, when using module trucks module diameter should not exceed 100 inches (254 CM). Thus, maximum recommended harvester monitor set size is 94", If larger than 100", further reduce the set size.
  - Insure that recommended chains are used on module trucks.
  - It is HIGHLY recommended to use appropriate chains while using module trucks, in order to minimize the risk of damaged modules and decrease the risk of contamination.



High potential to damage wrap



Typical recommended chain

- **Other trucks:**

Make sure there are no sharp edges or other sharp objects which may cause tears in modules.




**Module Truck**



**Flatbed Truck**

## Unwrapping recommendations

- Extra care while unwrapping modules at the Gin is required!
- Examine module carefully PRIOR to unwrapping / cutting, and remove any and ALL loose pieces of plastic and other potential contaminants.
- Gins that cut wrap:
  - Use the Tama Cut Indicator™ to locate the recommended cutting zone (3 feet / 1 meter) from the Tama Cut Indicator™, with the direction of the arrows.
  - Make ONE clean cut across the module, rather than several short cuts.
- Make certain ALL pieces of wrap are removed after unwrapping/cutting.



**Tama Cut Indicator™**



# Traceability

**Every TamaWrap®+ includes 4 RFID tags to provide unique identification to each module**

This unique identification enables full traceability of individual modules through harvesting and processing:

- From the field, through the gin's gateway, scale and yard- to the feeder floor
- Allows association of the ginned bale related data - back to the seed cotton module and back to the field
- Integrated with John Deere Harvest ID, Cotton Pro and the John Deere Operations Center



# Storage and Handling

## Order, Distribution, and Product Support:

- Shipping Damage must be noted on Delivery Receipt - at the time of delivery and filed to transport company within 3 days

## TamaWrap Storage Requirements:

- Store under roof in an enclosed structure and avoid exposure to sunlight and moisture while stored
- Double stacking of pallets is permissible with proper handling equipment
- To be used within two seasons

## Handling Recommendations:

- HANDLE ONE PALLET AT A TIME
- Recommended lift capacity: 2 tonne forklift
- USE LONG FORKS when handling pallets from its narrow end to minimize damage
- Long Forks length: 2m

- **Wrap can be punctured or torn by improper handling or loading/unloading procedures**
- **Wrap can be damaged by careless handling**
- **Make sure that all sharp edges and protrusions on hauling equipment are eliminated**





# Tama Assist - We've got you covered

## When it comes to service We've got you covered

Tama Assist reps play a crucial role in delivering efficient and effective service to all our customers.

With our extensive knowledge of farming and hands-on experience, Tama Assist not only resolves issues, but educates customers; offering valuable insights and recommendations.

Our dedication to delivering top-notch service, combined with our ability to establish strong customer relationships, give you an indispensable asset in the field - whatever time of the day or night.

As farmers, we understand your need for assistance.

## Key Contacts

### Order placement

Email: [CottonCustomerService@Tama-Australia.com.au](mailto:CottonCustomerService@Tama-Australia.com.au)  
PH: 03 9361 8100


**Katrina Rinckes** - TamaWrap® Customer Support  
Email: [CottonCustomerService@Tama-Australia.com.au](mailto:CottonCustomerService@Tama-Australia.com.au)  
Mob: 0487 487 334

**Jason Amos** - Regional Commercial Director  
Email: [Jason.Amos@Tama-Oceania.com](mailto:Jason.Amos@Tama-Oceania.com)  
Mob: 0418 553 853

**Simon Long** - TamaWrap® Commercial Manager  
Email: [Simon.Long@Tama-Australia.com.au](mailto:Simon.Long@Tama-Australia.com.au)  
Mob: 0407 749 543

**Malcolm George** - TamaWrap® Sales Manager  
Email: [Malcolm.George@Tama-Australia.com.au](mailto:Malcolm.George@Tama-Australia.com.au)  
Mob: 0407 130 133

**James Baker** - TamaWrap® Territory Manager  
Email: [James.Baker@Tama-Australia.com.au](mailto:James.Baker@Tama-Australia.com.au)  
Mob: 0457 194 357





# Tama Cotton Support App



## Tama Cotton Support App

**We understand back-up support is critical.**


Tama Cotton Support App provides a quick easy method of reporting any problems with TamaWrap® in the field, or during transport.

And now, we have included troubleshooting information!

Once you or your customer has lodged a request, we are notified straight away. And with all details already lodged in the App, we can help you resolve any issues more efficiently than ever before!

**It's simple and easy to use - even when there's no phone service.**

All producers, contractors and dealerships must lodge their Service Requests by using the Tama Cotton Support App.



**Scan me to  
download  
the app.**

# Recycling document

## General material description for recyclers



### TamaWrap®+ Yellow / Pink Premium

**TamaWrap®+ consists predominantly LLDPE with the following unique aspects on each wrap that may impact the recycling process:**

- Approximately ½ of the surface is coated with an adhesive type material (amount of adhesive type material is less than 3.5% of the film).
- Approximately 20cm x 10cm of polypropylene tape adhered to the middle of the wrap (approximately 10 meters from each end of the wrap).
- 5 Identification labels, 4 of which have RFID tags embedded in them.
- Approximately 20 cm x 19 cm of polyester material adhered to the leading edge of the wrap.
- Approximately 20 cm x 19 cm of adhesive material that secures the tail.
- Each wrap portion weighs approximately 4.3 Kg.

**More detailed descriptions of the materials will require confidentiality agreements with the wrap producer.**

### TamaWrap® Blue Value

**TamaWrap® consists predominantly LLDPE with the following unique aspects on each wrap that may impact the recycling process:**

- Approximately 20cm x 10 cm of polypropylene tape adhered to the middle of the wrap (approximately 10 meters from each end of the wrap).
- 5 Identification labels, 4 of which have RFID tags embedded in them.
- Approximately 20 cm x 19 cm of polyester material adhered to the leading edge of the wrap.
- Approximately 20 cm x 19 cm of adhesive material that secures the tail.
- Each wrap portion weighs approximately 4.3 Kg.

**More detailed descriptions of the materials will require confidentiality agreements with the wrap producer.**



# Tama limited warranty

for TamaWrap® products



**Tama warrants and agrees that the individual wrap portion by individual serial number used in John Deere Round Module Cotton Harvesters sold hereunder shall be free of defect, in workmanship and/or materials, for a period of 24 months following the first delivery of TamaWrap® to the buyer and for 6 months after the module was made, provided that:**

- The TamaWrap® is kept in their original packaging.
- The TamaWrap® is stored under cover and are not exposed to extreme heat, direct sunlight, or moisture during storage. Double stacking of pallets is permissible with proper handling equipment.
- TamaWrap® products are designed to be staged outside for a maximum of 6 months. Make sure modules are not left exposed to the sun for a longer period of time.
- The TamaWrap® are used in accordance with user manuals or other instructions furnished by Tama.
- Request for warranty by individual serial number must be requested in the use season as the incident occurs.
- Tama's responsibility under this Warranty regarding TamaWrap® found to be defective, will be to replace the defective TamaWrap® with appropriate substitute TamaWrap® free of charge or to refund to dealer the price paid for such TamaWrap® at Tama's sole discretion.
- Tama will not be responsible for and will have no obligation to make repairs or replacements required, in whole or in part, in case the conditions above were not fulfilled.
- REPAIR, REPLACEMENT OR REFUND IN THE MANNER PROVIDED ABOVE WILL CONSTITUTE FULFILLMENT OF ALL OF TAMA'S OBLIGATIONS WITH RESPECT TO THE QUALITY AND PERFORMANCE OF THE PRODUCTS. TAMA HAS MADE AND MAKES NO OTHER WARRANTIES WHATSOEVER WITH RESPECT TO THE PRODUCTS, EXPRESS OR IMPLIED.



**Tama Australia**

Tel : +61 3 9361 8100  
[www.tama-australia.com.au](http://www.tama-australia.com.au)

**Follow us**

